

ORDINANCE NO. 7564-05

AN ORDINANCE OF THE CITY OF CLEARWATER, FLORIDA, AMENDING ORDINANCE 7515-05, WHICH ESTABLISHED THE CLEARWATER CAY COMMUNITY DEVELOPMENT DISTRICT PURSUANT TO CHAPTER 190, FLORIDA STATUTES TO CORRECT EXHIBIT A, LEGAL DESCRIPTION; PROVIDING AN EFFECTIVE DATE.

WHEREAS, Ordinance No. 7515-05, establishing the Clearwater Cay Community Development District was adopted by the Clearwater City Council on September 15, 2005; and

WHEREAS, it was subsequently determined that Exhibit A to Ordinance No. 7515-05, which described the external boundaries of the District, was incorrect; now, therefore

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF CLEARWATER, FLORIDA:

Section 1. That Exhibit A of Ordinance No. 7515-05, describing the external boundaries of the Clearwater Cay Community Development District is hereby replaced with Exhibit A attached hereto

Section 2. This ordinance shall take effect immediately upon adoption.

PASSED ON FIRST READING

December 1, 2005


PASSED ON SECOND AND FINAL
READING AND ADOPTED

January 19, 2006



Frank V. Hibbard
Mayor

Approved as to form:




Pamela K. Akin
City Attorney

Attest:



Cynthia E. Goudeau
City Clerk

I hereby certify that this is a true and correct copy of the original as it appears in the files of the City of Clearwater. Witness my hand and official seal of the City of Clearwater.

This 1st day of May, 2006

Deputy City Clerk

CLEARWATER CAY COMMUNITY DEVELOPMENT DISTRICT

A parcel of land in Sections 20 and 29, Township 29 South, Range 16 East, Pinellas County, Florida, being more particularly described as follows:

Commence at the Southwest corner of said Section 20; thence along the South line of said Section 20, S89°19'48"E, a distance of 100.01 feet to the East right of way line of U.S. Highway 19 and the POINT OF BEGINNING; thence N01°26'21"E, along said East right of way line, a distance of 350.00 feet; thence S89°19'48"E, parallel with said South line of Section 20, a distance of 175.00 feet to the Southeast corner of property conveyed in Official Records Book 13955, Page 418 of the Public Records of Pinellas County, Florida; thence N01°26'21"E, along the East line of said property, a distance of 200.00 feet to the Northeast corner of said property; thence N89°19'48"W, along the North line of said property, a distance of 175.00 feet to said East right of way line of U.S. Highway 19; thence N01°26'21"E, along said East right of way line, a distance of 73.79 feet to the Southwest corner of property conveyed in Official Records Book 13618, Page 304 of the Public Records of Pinellas County, Florida; thence S89°19'48"E, along the South line of said property, a distance of 210.24 feet to the Southeast corner of said property; thence N01°26'21"E, along the East line of said property, a distance of 179.82 feet to the Northeast corner of said property; thence N89°19'48"W, along the North line of said property, a distance of 210.24 feet to said East right of way line of U.S. Highway 19; thence N01°26'21"E, along said East right of way line, a distance of 361.95 feet; thence S89°26'50"E, a distance of 885.00 feet; thence S01°26'21"W, a distance of 572.00 feet; thence N89°19'48"W, a distance of 263.00 feet; thence S01°26'21"W, a distance of 246.00 feet; thence N89°19'48"W, a distance of 12.00 feet; thence S01°26'21"W, a distance of 349.37 feet to said South line of Section 20 and the North line of said Section 29; thence S89°19'48"E, along said South line and North line, a distance of 11.39 feet to Northeast corner of property conveyed in Official Records Book 10769, Page 1415 of the Public Records of Pinellas County, Florida; thence S00°27'22"E, for 43.51 feet to the Northwest corner of property conveyed in Official Records Book 13805, Page 313 of the Public Records of Pinellas County, Florida, said corner also being a point of intersection with a non-tangent curve concave to the South; thence Easterly along the arc of said curve with a radial bearing S00°27'51"E, and having a radius of 35.00 feet, a central angle of 14°51'42", an arc length of 9.08 feet and a chord bearing S83°02'00"E, for 9.05 feet to the point of reverse curvature with a curve concave to the North; thence Easterly along the arc of said curve, having a radius of 35.00 feet, a central angle of 13°43'39", an arc length of 8.39 feet and a chord bearing S82°27'58"E, for 8.37 feet to the point of tangency; thence S89°19'48"E, for 111.84 feet to the point of intersection with a non-tangent curve concave to the Northwest; thence Easterly along the arc of said curve with a radial bearing N00°40'13"E, and having a radius of 55.50 feet, a central angle of 118°44'08", an arc length of 115.01 feet and a chord bearing N31°18'08"E, for 95.51 feet to the point of intersection with a non-tangent curve concave to the Northeast; thence Southeasterly along the arc of said curve with a radial bearing N61°56'04"E, and having a radius of 15.00 feet, a central angle of 46°10'01", an arc length of 12.09 feet and a chord bearing S51°08'57"E, for 11.76 feet to the point of compound curvature with a curve concave to the North; thence Easterly along the arc of said curve, having a radius of 125.00 feet, a central angle of 56°40'40", an arc length of 123.65 feet and a chord bearing N77°25'43"E, for 118.67 feet to the point of reverse curvature with a curve concave to the Southeast; thence Northeasterly along the arc of said curve, having a radius of 303.00 feet, a central angle of 00°31'45", an arc length of 2.80 feet and a chord bearing N49°21'15"E, for 2.80 feet to the point of intersection with a non-tangent line; thence N40°22'52"W, for 14.84 feet to the point of intersection with a non-tangent curve concave to the Northwest; thence Northeasterly along the arc of said curve with a radial bearing N40°43'39"W, and having a radius of 74.87 feet, a central angle of 02°40'04", an arc length of 3.49 feet and a chord bearing N47°56'19"E, for 3.49 feet to the point of reverse curvature with a curve concave to the Southeast; thence Northeasterly along the arc of said curve, having a radius of 234.00 feet, a central angle of 34°19'10", an arc length of 140.16 feet and a chord bearing N63°45'52"E, for 138.08 feet to the point of tangency; thence N80°55'27"E, for 97.25 feet; thence N56°01'58"E, for 40.45 feet; thence N78°50'41"E, for 127.14 feet; thence

S78°23'09"E, for 24.44 feet; thence S11°52'40"E, for 9.10 feet; thence N79°23'05"E, for 49.80 feet; thence N10°51'19"W, for 10.82 feet; thence N42°27'28"E, for 66.63 feet; thence N35°48'02"E, for 134.85 feet; thence East, for 67.34 feet; thence S38°08'04"E, for 12.67 feet; thence East, for 68.14 feet; thence N54°10'51"E, for 17.03 feet; thence East, for 96.27 feet; thence N55°05'18"E, for 63.64 feet; thence East, for 25.42 feet to the point of curvature of a curve concave to the North; thence Easterly along the arc of said curve, having a radius of 64.00 feet, a central angle of 39°42'28", an arc length of 44.35 feet and a chord bearing N70°08'46"E, for 43.47 feet to the point of reverse curvature with a curve concave to the South; thence Northeasterly along the arc of said curve, having a radius of 58.00 feet, a central angle of 36°55'37", an arc length of 37.38 feet and a chord bearing N68°45'21"E, for 36.74 feet to the point of reverse curvature with a curve concave to the Northwest; thence Easterly along the arc of said curve, having a radius of 54.00 feet, a central angle of 87°13'09", an arc length of 82.20 feet and a chord bearing N43°36'34"E, for 74.49 feet to the point of tangency; thence North, for 189.83 feet; thence S89°19'09"E, for 779.97 feet; thence S60°00'00"W, for 1333.52 feet; thence S89°19'48"E, for 209.91 feet; thence S24°54'45"W, for 343.41 feet to the point of intersection with a non-tangent curve concave to the Southeast; thence Southwesterly along the arc of said curve with a radial bearing S52°36'11"E, and having a radius of 1577.45 feet, a central angle of 13°22'27", an arc length of 368.22 feet and a chord bearing S30°42'35"W, for 367.38 feet to the point of intersection with a non-tangent line; thence N89°04'26"W, for 829.18 feet to the Southeast corner of property conveyed in Official Records Book 10769, Page 1415 of the Public Records of Pinellas County, Florida; thence N89°21'00"W, along the South line of said property, a distance of 635.75 feet to said East right of way line of U.S. Highway 19; thence N00°51'16"E, along said East right of way line, 627.67 feet to the said POINT OF BEGINNING;

LESS AND EXCEPT the following described parcel:

A parcel of land lying in the Southwest 1/4 of the Southwest 1/4 of Section 20, Township 29 South, Range 16 East, Pinellas County, Florida, per Official Records Book 9527, Page 480, Public Records of Pinellas County, Florida, being more particularly described as follows:

Commence at the Southwest corner of said Section 20 and run South 89°19'48" East, 100.00 feet to the East right-of-way line of U.S. Highway 19; thence North 01°26'21" East along said East right-of-way line, 5.00 feet to the POINT OF BEGINNING; thence continue North 01°26'21" East, along said East right-of-way line, 345.00 feet; thence South 89°19'48" East, 252.55 feet; thence South 01°26'21" West, 345.00 feet; thence North 89°19'48" West, 252.55 feet to the POINT OF BEGINNING.

Overall property containing 49.439 acres, more or less.

Prepared by:

PBS&J
482 South Keller Road
Orlando, FL 32810

September 28, 2005
101501.04 0203